

Version: 20 / DE

Replaces Version: 19 / DE

Revision: 27.06.2023 Print date: 07.09.23

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

glimtrex Hardwax-Oil intensive white 102017

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Use of the substance/preparation

Surface treatment of wood and other materials

### 1.3. Details of the supplier of the safety data sheet

### Manufacturer

glimtrex GmbH Orkotten 68 48291 Telgte Telephone no. +49 (0) 2504 88887-111 Fax no. +49 (0) 2504 88887-112 E-mail address info@glimtrex.de

# 1.4. Emergency telephone number

Germany: +49 (0) 30-30686700

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### Classification (Regulation (EC) No. 1272/2008)

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

### 2.2. Label elements

# Labelling according to regulation (EC) No 1272/2008

### Supplemental information

EUH066Repeated exposure may cause skin dryness or cracking.EUH210Safety data sheet available on request.

### Further supplemental information

Cleaning cloth soaked with the product can self ignite during packing up, therefore dry the cloth on a line or through spreading and dispose of after dry up.

### 2.3. Other hazards

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

# **SECTION 3: Composition/information on ingredients**

### Hazardous ingredients

### Naphtha (petroleum), hydrotreated heavy

CAS No.	64742-48-9			
EINECS no.	919-857-5			
Registration no.	01-2119463258-33			
Concentration	>= 10	<	25	%

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH), Annex II,
amended according to Regulation (EU) 2020/878



Trade name: glimtrex Hardwax-Oil intensive white 102017 Version: 20 / DE Revision: 27.06.2023 Replaces Version: 19 / DE Print date: 07.09.23 Classification (Regulation (EC) No. 1272/2008) Asp. Tox. 1 H304 Hydrocarbons, C11-C12, isoalkanes, <2% aromatics EINECS no. 918-167-1 Registration no. 01-2119472146-39 Concentration 10 % >= 1 < Classification (Regulation (EC) No. 1272/2008) Flam. Liq. 3 H226 Asp. Tox. 1 H304 Aquatic Chronic 4 H413 alkanes, cycloalkanes, C11-14-iso-EINECS no. 927-285-2 Registration no. 01-2119480162-45 Concentration % 10 >= 1 < Classification (Regulation (EC) No. 1272/2008) H304 Asp. Tox. 1 hydrocarbons, C11-C13, isoalkanes, <2% aromatics EINECS no. 920-901-0 Registration no. 01-2119456810-40 Concentration 10 % >= 1 < Classification (Regulation (EC) No. 1272/2008) H304 Asp. Tox. 1 Note For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical attention. If unconscious place in recovery position and seek medical advice. First aider: Pay attention to self-protection! Remove affected person from danger area, lay him down.

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. Keep warm, calm and covered up. In all cases of doubt, or when symptoms persist, seek medical attention.

#### After skin contact

Wash off immediately with soap and water. Do NOT use solvents or thinners. Consult a doctor if skin irritation persists.

#### After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice. Take medical treatment.

#### After ingestion

Do not induce vomiting. Take medical treatment.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in



Version: 20 / DE

Replaces Version: 19 / DE

Revision: 27.06.2023 Print date: 07.09.23

extreme cases, loss of consciousness. High concentration of vapours may cause irritation to eyes and respiratory system and produce narcotic effects.

# 4.3. Indication of any immediate medical attention and special treatment needed

### Hints for the physician / treatment

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

### Suitable extinguishing media

Recommended: alcohol resistant foam, CO2, powders, water spray/mist

#### Non suitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

### 5.2. Special hazards arising from the substance or mixture

Fire will produce dense black smoke. In a fire, hazardous decomposition products may be produced. Exposure to decomposition products may cause a health hazard. Vapours can form an explosive mixture with air.

# 5.3. Advice for firefighters

### Special protective equipment for fire-fighting

In case of combustion evolution of dangerous gases possible. Use self-contained breathing apparatus.

#### Other information

Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water. Standard procedure for chemical fires.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Eliminate all ignition sources if safe to do so. Ensure adequate ventilation. Do not inhale vapours. Do not inhale mist.

#### 6.2. Environmental precautions

Do not allow to enter drains or waterways. Do not allow to enter soil, waterways or waste water canal. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Do NOT use solvents or thinners. Send in suitable containers for recovery or disposal.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

### Advice on safe handling

Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. Keep container tightly closed and dry in a

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH), Annex II, amended according to Regulation (EU) 2020/878



Trade name: glimtrex Hardwax-Oil intensive white 102017

Version: 20 / DE

Replaces Version: 19 / DE

Revision: 27.06.2023 Print date: 07.09.23

cool, well-ventilated place. Use only with adequate ventilation/personal protection. Ensure adequate ventilation. Provide for sufficient ventilation. This can be achieved by local exhaust or general exhaust air collection. Wear a suitable respirator if the ventilation is not sufficient to keep the solvent vapour concentration below the occupational limit values. Avoid contact with skin and eyes. Avoid inhalation of vapour and spray mist. Do no eat, drink or smoke when using this product. Use personal protective clothing. For personal protection see Section 8.

#### Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Vapours are heavier than air and may spread along floors. In addition, the product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Mixture may charge electrostatically: always use earthing leads when transferring from one container to another. Take measures to prevent the build up of electrostatic charge. Wear shoes with conductive soles. No sparking tools should be used. Fight fire with normal precautions from a reasonable distance. Do not process in the same cabin together with highly flammable material (e.g. CN lacquer) => fire hazard through self ignition! Cleaning cloth soaked with the product can self ignite during packing up, therefore dry the cloth on a line or through spreading and dispose of after dry up.

# 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Provide solvent-resistant and impermeable floor. Keep only in the original container in a cool, well ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

#### Hints on storage assembly

Store away from oxidising agents, from strongly alkaline and strongly acid materials.

#### Storage classes

Storage class according to TRGS 510 10

Flammable liquids

#### Further information on storage conditions

Keep away from heat. Protect from sunlight. Keep away from sources of ignition - No smoking. Store in accordance with the particular national regulations.

### 7.3. Specific end use(s)

See exposure scenario, if available.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### **Exposure limit values**

alkanes, cycloalkanes, C11-14-iso-				
List	TRGS 900			
Value	600	mg/m³		
Maximum limit value: 2(II);	Status: 01/2012			

#### Naphtha (petroleum), hydrotreated heavy

List	TRGS 900 (RCP)
Туре	Hydrocarbon mixture with group exposure limit according to RCP
	method in TRGS 900 (DE)
Value	300 mg/m <sup>3</sup>
Status: 06/2022	
Hydrocarbons, C11-C12,	isoalkanes, <2% aromatics
List	TRGS 900
Value	600 mg/m <sup>3</sup>



Version: 20 / DE

Replaces Version: 19 / DE

Revision: 27.06.2023 Print date: 07.09.23

	Maximum limit value: 2(II); Sta	atus: 05/201	13		
hydrocarbons, C11-C13, isoalkanes, <2% aromatics					
	List	TRGS 90			
	Туре		bon mixture with group exposure limit according to RCP ו TRGS 900 (DE)		
	Value Status: 07/2022	300	mg/m³		
	Occupational exposure limit fo chapter 2.9 TRGS 900	r hydrocar	bonate mixture (fraction) according to RCP method in		
	Value	300	mg/m³		
	Other information				
8.2	. Exposure controls				
	Exposure controls				
	for sufficient ventilation. This ca	n be achiev	cupational Exposure Limits or other equivalent values. Provide ved by local exhaust or general exhaust air collection. Wear a ufficient to keep the solvent vapour concentration below the		
	Respiratory protection				
			breathing apparatus if exposed to vapours/dust/aerosol. tection mask with combination filter A/P2		
	Hand protection				
	Protective gloves complying wit Glove material	h EN 374.			
		litrile rubber	r		
	Material thickness >	•, ·	mm		
	Breakaneagn anne	= 30	min		
	only for the indicated intended		product named in this safety data sheet supplied by us, and		
			o check the resistance to chemicals of the protective gloves		
	mentioned above together with				
	The instructions and information replacement must be followed.	n provided l	by the glove manufacturer on use, storage, maintenance and		
			an the end use time of the product.		
			there is any sign of damage to the glove material.		
	ne performance or effectivene maintenance.	ess of the gi	ove may be reduced by physical/ chemical damage and poor		
	Eye protection				
	Safety glasses with side-shields	s conformin	g to EN166		
	Body protection				
	Wear suitable protective clothin before breaks and after work.	g. Remove	contaminated clothing and wash it before reuse. Wash hands		
SEC	TION 9: Physical and chem	ical prop	erties		
9.1	. Information on basic physi	cal and c	chemical properties		
	Physical state	liquid			
	Colour	white			

# Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH), Annex II, amended according to Regulation (EU) 2020/878



Revision: 27.06.2023

Print date: 07.09.23

Trade name: glimtrex Hardwax-Oil intensive white 102017

Version: 20 / DE

Replaces Version: 19 / DE

	Odour	mild					
	Melting point	ma					
	Remarks	not de	termined				
	Freezing point	not de	Commed				
	Remarks	not de	termined				
	Boiling point or initial boiling			a rana	<u>م</u>		
	Value	point	186	to	250	°C	
	Flammability not determined					-	
	Upper and lower explosive lin	nits					
	Remarks		termined				
	Flash point						
	Value	>	60			°C	
	Ignition temperature						
	Remarks	not de	termined				
	Decomposition temperature						
	Remarks	not de	termined				
	pH value						
	Remarks	Not ap	plicable				
	Viscosity						
	Remarks	not de	termined				
	Solubility(ies)						
	Remarks	not de	termined				
	Partition coefficient n-octano	/water	(log valu	e)			
	Remarks	not de	termined				
	Vapour pressure						
	Remarks	not de	termined				
	Density and/or relative densit	У					
	Value Temperature	appr.	1,311 20	°C		kg/l	
	Relative vapour density						
	Remarks	not de	termined				
	Particle characteristics						
	Remarks	not de	termined				
9.2	. Other information						
	Odour threshold						
	Remarks	not de	termined				
	Evaporation rate						
	Remarks	not de	termined				
	Solubility in water						
	Remarks	not de	termined				
	Efflux time						



Version: 20 / DE

Replaces Version: 19 / DE

Revision: 27.06.2023 Print date: 07.09.23

Value	25 to 2 <sup>°</sup>	7 s	
Temperature	20 °C		
Method	DIN 53211 - 6 mm		
Explosive properties			
evaluation	not determined		
Oxidising properties			
Remarks	not determined		
Non-volatile content			
Value	66,9	%	
Method	calculated value		

### Other information

This information is not available.

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Stable under recommended storage and handling conditions (see section 7).

#### 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

To avoid thermal decomposition, do not overheat.

#### 10.4. Conditions to avoid

Isolate from sources of heat, sparks and open flame.

#### 10.5. Incompatible materials

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

#### **10.6.** Hazardous decomposition products

Carbon monoxide and carbon dioxide, nitrous oxides (NOx), dense black smoke, No decomposition if used as prescribed.

# SECTION 11: Toxicological information

SECTION 11: Toxicologic	al information					
11.1 Information on haza	ard classes as defined in Regulation (EC) No 1272/2008					
Acute oral toxicity						
Method Remarks	Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are not met.					
Acute dermal toxicity						
Method Remarks	Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are not met.					
Acute inhalational toxicity						
Method Remarks	Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are not met.					
Skin corrosion/irritation	on					
Method Remarks	Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are not met.					
	Page 7(11)					



Version: 20 / DE

Replaces Version: 19 / DE

Revision: 27.06.2023 Print date: 07.09.23

Serious eye damage/i	rritation
Method	Calculation method (Regulation (EC) No. 1272/2008)
Remarks	Based on available data, the classification criteria are not met.
Sensitization	
Method Remarks	Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are not met.
Mutagenicity	
Method	Calculation method (Regulation (EC) No. 1272/2008)
Remarks	Based on available data, the classification criteria are not met.
Reproductive toxicity	
Method Remarks	Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are not met.
Carcinogenicity	
Method	Calculation method (Regulation (EC) No. 1272/2008)
Remarks	Based on available data, the classification criteria are not met.
Specific Target Organ	Toxicity (STOT)
Single exposure	
Method	Calculation method (Regulation (EC) No. 1272/2008)
Remarks	Based on available data, the classification criteria are not met.
Repeated exposure Remarks	Depend on evolution data, the electricities evidence are not mot
	Based on available data, the classification criteria are not met.
Aspiration hazard	to the eleccification criteria are not mat
	ta, the classification criteria are not met.
Aspiration hazard (Co	
	<b>3, isoalkanes, &lt;2% aromatics</b> ng damage if swallowed.
11.2 Information on othe	er hazards
	<b>properties with respect to humans</b> contain a substance that has endocrine disrupting properties with respect to
Other information	
No toxicological data a	ire available.
SECTION 12: Ecological i	information
12.1. Toxicity	
General information	
	ere is no ecotoxicological data available on the product as such.
12.2. Persistence and de	eradability
General information For this subsection the	ere is no ecotoxicological data available on the product as such.
12.3. Bioaccumulative p	
General information	
	Page 8(11)



Version: 20 / DE

Replaces Version: 19 / DE

Revision: 27.06.2023 Print date: 07.09.23

For this subsection there is no ecotoxicological data available on the product as such.

#### Partition coefficient n-octanol/water (log value) Remarks

not determined

# 12.4. Mobility in soil

#### **General information**

For this subsection there is no ecotoxicological data available on the product as such.

#### Mobility in soil

no data available

# 12.5. Results of PBT and vPvB assessment

#### **General information**

For this subsection there is no ecotoxicological data available on the product as such.

#### Results of PBT and vPvB assessment

The product contains no PBT substances The product contains no vPvB substances.

# 12.6 Endocrine disrupting properties

#### Endocrine disrupting properties with respect to the envrionment

The product does not contain a substance that has endocrine disrupting properties with respect to nontarget organisms.

# 12.7. Other adverse effects

### **General information**

For this subsection there is no ecotoxicological data available on the product as such.

#### General information / ecology

For this subsection there is no ecotoxicological data available on the product as such.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations for the product**

EWC waste code	080111 - waste paint and varnish containing organic solvents or other dangerous substances
EWC waste code	200127 - paint, inks, adhesives and resins containing dangerous substances
Where possible recycling is preferred to disp Do not allow to enter drains or waterways.	posal or incineration.
modified product	
EWC waste code	080113 - sludges from paint or varnish containing organic solvents or other dangerous substances
EWC waste code	080115 - aqueous sludges containing paint or varnish containing organic solvents or other dangerous substances
Dried residues	
EWC waste code	080112 - waste lacquers and waste paint except those falling under 080111
Disposal recommendations for packaging	ng
EWC waste code	150110 - packaging containing residues of or contaminated

Version: 20 / DE

Replaces Version: 19 / DE

Revision: 27.06.2023 Print date: 07.09.23

by dangerous substances

Germany: KBS system for sheet covering Completely emptied packagings can be given for recycling.

# **SECTION 14: Transport information**

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	Not classified as dangerous in the meaning of transport regulations.	Not classified as dangerous in the meaning of sea and air transport regulations.	Not a dangerous substance as defined in the above regulations.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# Water Hazard Class (Germany)

Water Hazard Class (Germany)	WGK 2				
Remarks	Derivation of W	GK acco	rding to Ar	nex 1 No. 5.2 AwS	V
VOC			-		
VOC (EU)	33,1	%	434	g/l	

#### VOC (EU)

Other information

All components are contained in the TSCA inventory or exempted.

# 15.2. Chemical safety assessment

For this substance / mixture a chemical safety assessment was not carried out.

# **SECTION 16: Other information**

# Hazard statements listed in Chapter 3

	H226	Flammable liquid and vapour.
	H304	May be fatal if swallowed and enters airways.
	H413	May cause long lasting harmful effects to aquatic life.
CLP categories listed in Chapter 3		
	Aquatic Chronic 4	Hazardous to the aquatic environment, chronic, Category 4
	Asp. Tox. 1	Aspiration hazard, Category 1
	Flam. Liq. 3	Flammable liquid, Category 3
Abbreviations		
	<ul> <li>RID - Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning theInternational Transport of Dangerous Goods by Rail)</li> <li>IMDG - International Maritime Code for Dangerous Goods</li> <li>IATA - International Air Transport Association</li> <li>IATA-DGR - Dangerous Goods Regulations by the "International Air Transport Association" (IATA)</li> <li>ICAO-TI - Technical Instructions by the "International Civil Aviation Organization" (ICAO)</li> <li>GHS - Globally Harmonized System of Classification and Labelling of Chemicals</li> <li>EINECS - European Inventory of Existing Commercial Chemical Substances</li> <li>CAS - Chemical Abstracts Service (division of the American Chemical Society)</li> <li>GefStoffV - Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)</li> </ul>	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH), Annex II, amended according to Regulation (EU) 2020/878



Trade name: glimtrex Hardwax-Oil intensive white 102017

Version: 20 / DE

Replaces Version: 19 / DE

Revision: 27.06.2023 Print date: 07.09.23

LOAEL - Lowest Observed Adverse Effect Level LOEL - Lowest Observed Effect Level NOAEL - No Observed Adverse Effect Level NOEC - No Observed Effect Concentration NOEL - No Observed Effect Level OECD - Organisation for Econpmic Cooperation and Development VOC - Volatile Organic Compounds Changes since the last version are highlighted in the margin (\*\*\*). This version replaces all previous versions. This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification.

The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

The information contained herein is based on the present state of our knowledge and does therefore not guarantee certain properties.