

Product info sheet:

# glimtrex<sup>®</sup> Veggie Oil

quick – reliable - sustainable



## Product description

glimtrex<sup>®</sup> Veggie Oil is solvent-free and based on natural and renewable raw materials for the treatment of wooden floors and surfaces. It contains only pure vegan ingredients like jojoba oils, linseed oils and sunflower oils.

## Characteristics

- **Vegan**
- **solvent free**
- **antibacterial**
- **cobalt free**

## Application

- Only one application required
- High yield: 1 liter will cover up to 40 m<sup>2</sup>
- Applied in just 4 steps:
  - Fine-sanding with glimtrex<sup>®</sup> multi-hole disc, grit 120
  - Oiling with glimtrex<sup>®</sup> pad (purple) or scrapper
  - Polishing with glimtrex<sup>®</sup> Veggie-pad
  - Apply after 24 hours glimtrex<sup>®</sup> Veggie First-Care with a mop
- Extremely quick drying
  - Cautious walk-on after 3 to 6 hours (**2 to 4 hours if hardener is used**)
  - Fully useable after 24 hours (95% of final hardening)
  - Thanks to optional hardener component no drying problems on exotic and high-oil-content timbers
- Optimized equipment range from sanding to final polishing guaranteeing smooth operation
- DIBt approval: Z-157.10-153
- Compliant with DIN 53160 saliva-resistance
- Tested according to DIN 68861-1C: resistant to wine, coffee, cola, tea, beer, etc..
- Compliant with DIN EN 71-3 toy safety
- Easy care and cleaning with glimtrex<sup>®</sup> Veggie Floor-Care



## Surface treatment

Sand the surface with a 120 – grit paper, best performed with glimtrex® multi-hole disc grit 120. This will give you an even surface over the whole section. Remove dirt and sanding dust. Make sure that any underfloor heating has been switched off at least 3 days before, that the glimtrex® Veggie Oil has a temperature of at least 18°C and that the can content is well stirred before use. Produce a sample before applying glimtrex® Veggie Oil.

## Classic treatment

Equipment required:

- multihole pad grid 120
- glimtrex® Pad purple (or a Scraper)
- disc-sander
- Veggie-buffing pad

Pour a small amount of glimtrex® Veggie Oil on the floor to be oiled. Put the glimtrex® pad (purple) on the oil and spread the oil evenly. Repeat this until the entire surface is covered.

Alternative apply a thin coat with a scraper.

With strongly beveled floors we recommend pre-treating the bevel with a fine brush or cotton cloth. After 10 to 20 mins (depending on air humidity, room temperature, etc.) rub in the excess oil with the glimtrex® Veggie-pad without leaving residues. The special structure of the Veggie-pad ensures even levelling of the fresh oil. Apply at the earliest after 24 hours glimtrex® Veggie First-Care pure with a mop. After drying (2 up to 4 hours) is the floor walkable.

## Application in professional environments and on exotic timbers

- Mix glimtrex® Veggie Oil with 5% of glimtrex® Veggie-Hardener.
- Apply glimtrex® Veggie Oil as outlined in der classic method.
- Leave glimtrex® Veggie Oil to dry.
- Cautious walk-on possible after 1 to 2 hrs.
- The floor is ready to use after 24 hrs.
- Adding our glimtrex® Hardener will make the surface even more resistant to wear and slip.



## Regular cleaning

- Remove loose dust with a broom or vacuum cleaner.
- For regular cleaning and care we recommend glimtrex® Veggie Floor-Care. For normally soiled floors add 25-50 ml to 5 liters of water.
- With heavier soiling increase the dosage.
- Perform only damp-mopping (not wet) with this solution.
- It is always possible to use Veggie Oil again.

## Repairing surfaces

- Sand damaged areas in the direction of the grain with 120 to 150 grit paper.
- Use 280 grit for the subsequent go.
- For smaller damages rub in glimtrex® Veggie Oil with a lint-free cotton cloth.
- For repairing larger areas please proceed as outlined under 'classic treatment'.

## Technical information

Available in 1 and 2.5 liter tins and shine-level mat.

**Oil-saturated cotton cloths pose a risk of spontaneous combustion due to heat buildup; therefore it is advised to spread them out and allow them to air dry before disposal.**

The shelf life is 12 months in the closed original tin. Make sure to stir the tin thoroughly before using. A skin may be on the surface of the product, please remove before stirring.

Please look at the current safety data sheets. You will find them at [www.glimtrex.de/downloads](http://www.glimtrex.de/downloads).

This information is purely advisory and is based on the best knowledge available through careful research. This information cannot be held as legally binding.