according to Regulation (EC) No 1907/2006



# glimtrex Vinyl-Care 108022

Print date: 13.02.2018 Page 1 of 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

glimtrex Vinyl-Care 108022

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Washing and cleaning products (including solvent based products)

#### Uses advised against

No information available.

#### 1.3. Details of the supplier of the safety data sheet

 Company name:
 glimtrex GmbH

 Street:
 Orkotten 68

 Place:
 D-48291 Telgte

 Telephone:
 +49(0)2504/88887111

 Telefax:
 +49(0)2504/88887112

 e-mail:
 info@glimtrex.de

:

1.4. Emergency Telephonenumber: +49 (0) 30 30686700 (Tag und Nacht)

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Causes serious eye irritation.

#### 2.2. Label elements

Signal word: Warning Pictograms: GHS07



# **Hazard statements**

H319 Causes serious eye irritation.

## **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

## 2.3. Other hazards

No data available

according to Regulation (EC) No 1907/2006



# glimtrex Vinyl-Care 108022

Print date: 13.02.2018 Page 2 of 8

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Chemical characterization

SECTION 3: Composition / information on ingredients: < 5 % anionic surfactants, phosphates. Additional information: Colour

## Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
203-905-0	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether	1-5 %
111-76-2	Xn - Harmful, Xi - Irritant R20/21/22-36/38	
603-014-00-0	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Eye Irrit. 2, Skin Irrit. 2; H332 H312 H302 H319 H315	
203-961-6	2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether	1-5 %
112-34-5	Xi - Irritant R36	
603-096-00-8	Eye Irrit. 2; H319	
204-812-8	Natriumetasulfat	1-5 %
126-92-1	Xi - Irritant R38-41	
	Skin Irrit. 2, Eye Dam. 1; H315 H318	
	Ammoniaklösung	< 1 %
1336-21-6	C - Corrosive, N - Dangerous for the environment R34-50	
	Met. Corr. 1, Skin Corr. 1B, STOT SE 3, Aquatic Acute 1 (M-Factor = 1); H290 H314 H335 H400	

Full text of R, H and EUH phrases: see section 16.

#### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### **General information**

Avoid contact with eyes.

### After inhalation

none

## After contact with skin

none

## After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Call a physician in any case!

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

according to Regulation (EC) No 1907/2006



# glimtrex Vinyl-Care 108022

Print date: 13.02.2018 Page 3 of 8

#### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

# Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. The product itself does not burn.

#### Unsuitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

#### **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

## Advice on safe handling

Avoid contact with eyes.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

## Further information on handling

No special handling advices are necessary.

#### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep/Store only in original container.

## Advice on storage compatibility

No special measures are necessary.

## 7.3. Specific end use(s)

Cleaning work

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

according to Regulation (EC) No 1907/2006



# glimtrex Vinyl-Care 108022

Print date: 13.02.2018 Page 4 of 8

# **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m3	fibres/ml	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL
111-76-2	2-Butoxyethanol	25	123		TWA (8 h)	WEL
		50	246		STEL (15 min)	WEL

#### **Biological Monitoring Guidance Values (EH40)**

CAS No	Substance	Parameter	Value	Test material	Sampling time
111-76-2	2-Butoxyethanol	butoxyacetic acid	240 mmol/mol	urine	Post shift

#### 8.2. Exposure controls

#### Appropriate engineering controls

Does not contain substances above concentration limits fixing an occupational exposure limit.

#### Protective and hygiene measures

Avoid contact with skin, eyes and clothes.

#### Hand protection

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

# Skin protection

Body protection: not required.

## Respiratory protection

Usually no personal respirative protection necessary.

## **Environmental exposure controls**

no restriction

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: yellow
Odour: characteristic

Test method

pH-Value (at 20 °C): ca. 10 DIN 19261

Changes in the physical state

Melting point: not determined

Initial boiling point and boiling range: 100 °C ASTM D 1120 Flash point: 61 °C ASTM D 3278

**Flammability** 

Solid: not applicable
Gas: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined

Auto-ignition temperature

Solid: not applicable

according to Regulation (EC) No 1907/2006



# glimtrex Vinyl-Care 108022

Print date: 13.02.2018 Page 5 of 8

Gas: not applicable Decomposition temperature: not determined

Vapour pressure: not determined DIN 51640

(at 20 °C)

Density (at 20 °C): 1,03 g/cm3 DIN 51757

Water solubility:

Partition coefficient:

Vapour density:

not determined

rot determined

rot determined

not determined

rot determined

9.2. Other information

Solid content: not determined

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No known hazardous reactions.

## 10.2. Chemical stability

The substance is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

# 10.4. Conditions to avoid

Avoid: Frost

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

#### **Acute toxicity**

CAS No	Chemical name							
	Exposure routes	Method	Dose	Species	Source			
111-76-2	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether							
	oral	LD50	470 mg/kg	Rat				
	dermal	ATE	1100 mg/kg					
	inhalative vapour	ATE	11 mg/l					
	inhalative aerosol	ATE	1,5 mg/l					
112-34-5	2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether							
	oral	LD50	5660 mg/kg	Rat				
	dermal	LD50	4120 mg/kg	Rabbit				
126-92-1	Natriumetasulfat							
	oral	LD50	> 2000 mg/kg	Ratte				
1336-21-6	Ammoniaklösung							
	oral	LD50	350 mg/kg	Ratte				
	inhalative (4 h) vapour	LC50	2 mg/l	Ratte				

according to Regulation (EC) No 1907/2006



# glimtrex Vinyl-Care 108022

Print date: 13.02.2018 Page 6 of 8

#### **SECTION 12: Ecological information**

# 12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name							
CAS NO								
	Aquatic toxicity	Method	Dose	[h] 1 [d]	Species	Source		
111-76-2	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether							
	Acute fish toxicity	LC50	1490 mg/l	96 h	Lepomis macrochirus			
112-34-5	2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether							
	Acute algae toxicity	ErC50	> 100 mg/l		Scenedesmus sp.			
	Acute crustacea toxicity	EC50	> 100 mg/l	48 h	Daphnia magna			
126-92-1	Natriumetasulfat							
	Acute fish toxicity	LC50	>1 mg/l	96 h	Fische			
	Acute algae toxicity	ErC50	1-10 mg/l	72 h	Algen			
	Acute crustacea toxicity	EC50	1-10 mg/l	48 h	Daphnien			
1336-21-6	Ammoniaklösung							
	Acute fish toxicity	LC50	0,16-1,1 mg/l	96 h	Regenbogenforelle			

#### 12.2. Persistence and degradability

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge.

## 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
111-76-2	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether	0,81 (25°C)
112-34-5	2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether	0,56 (25°C)

# 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6. Other adverse effects

Mixture not tested.

#### **Further information**

Avoid release to the environment.

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

## Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

# Waste disposal number of used product

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL

AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances

Classified as hazardous waste.

#### Waste disposal number of contaminated packaging

according to Regulation (EC) No 1907/2006



# glimtrex Vinyl-Care 108022

Print date: 13.02.2018 Page 7 of 8

200139 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately

collected fractions (except 15 01); plastics

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

#### **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

## 14.6. Special precautions for user

There are no data available on the mixture itself.

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

There are no data available on the mixture itself.

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

## Additional information

EU legislation: Wasch- und Reinigungsmittelgesetz Notification number according to 'Giftinformationsverordnung (ChemGiftInfoVO)':: Technische Regeln Druckbehälter (TRB), Technische Regeln Druckgase (TRG):

## National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

#### **SECTION 16: Other information**

## Relevant R phrases (number and full text)

20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

34 Causes burns.
36 Irritating to eyes.

36/38 Irritating to eyes and skin.





# glimtrex Vinyl-Care 108022

Print date: 13.	02.2018	Page 8 of 8
38	Irritating to skin.	
41	Risk of serious damage to eyes.	
50	Very toxic to aquatic organisms.	
Relevant H	and EUH statements (number and full text)	
H290	May be corrosive to metals.	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H400	Very toxic to aquatic life.	
Further Info	ormation	
	The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The	

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid

for the new made-up material.