Version: 3 / DE

Replaces Version: 2 / DE

Revision: 31.07.2020 Print date: 16.11.20

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

glimtrex base colour G lightbrown 111008

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Surface treatment of wood and other materials

1.3. Details of the supplier of the safety data sheet

Manufacturer

glimtrex GmbH Orkotten 68 48291 Telgte Telephone no. +49 (0) 2504 88887-111 Fax no. +49 (0) 2504 88887-112 E-mail address info@glimtrex.de

1.4. Emergency telephone number

Germany: +49 (0) 30 30686700

2. Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Supplemental information

EUH066Repeated exposure may cause skin dryness or cracking.EUH210Safety data sheet available on request.

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB) (if not listed in Section 3).

3. Composition/information on ingredients

Hazardous ingredients

Naphtha (petroleum), h	nydrotreated	heavy			
CAS No.	64742-48-9				
EINECS no.	265-150-3				
Registration no.	01-21194572	273-39			
Concentration	>=	25	<	50	%
Classification (Regulat	tion (EC) No. 1	1272/2008)			
	Asp. Tox. 1		H304		

hydrocarbons, C12-18

Version: 3 / DE

Replaces Version: 2 / DE

Revision: 31.07.2020 Print date: 16.11.20

 EINECS no.
 927-632-8

 Registration no.
 01-2119457736-27

 Concentration
 >=
 1
 <</td>
 10
 %

 Classification (Regulation (EC) No. 1272/2008)
 Asp. Tox. 1
 H304
 EUH066

Note

For explanation of abbreviations see section 16.

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57) (if not listed in Section 3).

4. First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical attention. If unconscious place in recovery position and seek medical advice. First aider: Pay attention to self-protection! Remove affected person from danger area, lay him down.

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. Keep warm, calm and covered up. In all cases of doubt, or when symptoms persist, seek medical attention.

After skin contact

Wash off immediately with soap and water. Do NOT use solvents or thinners. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice. Take medical treatment.

After ingestion

Do not induce vomiting. Take medical treatment.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. High concentration of vapours may cause irritation to eyes and respiratory system and produce narcotic effects.

4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / treatment

Treat symptomatically.

5. Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Recommended: alcohol resistant foam, CO2, powders, water spray/mist

Non suitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture



Version: 3 / DE

Replaces Version: 2 / DE

Revision: 31.07.2020 Print date: 16.11.20

Fire will produce dense black smoke. In a fire, hazardous decomposition products may be produced. Exposure to decomposition products may cause a health hazard. Vapours can form an explosive mixture with air.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

In case of combustion evolution of dangerous gases possible. Use self-contained breathing apparatus.

Other information

Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water. Standard procedure for chemical fires.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Eliminate all ignition sources if safe to do so. Ensure adequate ventilation. Do not inhale vapours. Do not inhale gases. Do not inhale mist.

6.2. Environmental precautions

Do not allow to enter drains or waterways. Do not allow to enter soil, waterways or waste water canal. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Do NOT use solvents or thinners. Send in suitable containers for recovery or disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

7. Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. Keep container tightly closed and dry in a cool, well-ventilated place. Use only with adequate ventilation/personal protection. Ensure adequate ventilation. Provide for sufficient ventilation. This can be achieved by local exhaust or general exhaust air collection. Wear a suitable respirator if the ventilation is not sufficient to keep the solvent vapour concentration below the occupational limit values. Avoid contact with skin and eyes. Avoid inhalation of vapour and spray mist. Do no eat, drink or smoke when using this product. Use personal protective clothing. For personal protection see Section 8.

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Vapours are heavier than air and may spread along floors. In addition, the product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Mixture may charge electrostatically: always use earthing leads when transferring from one container to another. Take measures to prevent the build up of electrostatic charge. Wear shoes with conductive soles. No sparking tools should be used. Fight fire with normal precautions from a reasonable distance. Do not process in the same cabin together with highly flammable material (e.g. CN lacquer) => fire hazard through self ignition! Cleaning cloth soaked with the product can self ignite during packing up, therefore dry the cloth on a line or through spreading and dispose of after dry up.

Version: 3 / DE

Replaces Version: 2 / DE

Revision: 31.07.2020 Print date: 16.11.20

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Provide solvent-resistant and impermeable floor. Keep only in the original container in a cool, well ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Hints on storage assembly

Store away from oxidising agents, from strongly alkaline and strongly acid materials.

10

Storage classes

Storage class according to TRGS 510

Flammable liquids

Further information on storage conditions

Keep away from heat. Protect from sunlight. Keep away from sources of ignition - No smoking. Store in accordance with the particular national regulations.

7.3. Specific end use(s)

See exposure scenario, if available.

8. Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

Naphtha (petroleum), hydrotreated heavy Value 300 mg/m³ Status: 05/2020

Other information

8.2. Exposure controls

Exposure controls

Users are advised to consider national Occupational Exposure Limits or other equivalent values. Provide for sufficient ventilation. This can be achieved by local exhaust or general exhaust air collection. Wear a suitable respirator if the ventilation is not sufficient to keep the solvent vapour concentration below the occupational limit values.

Respiratory protection

Respiratory protection not applicable; Use breathing apparatus if exposed to vapours/dust/aerosol. Recommended Filter type: Respiratory protection mask with combination filter A/P2

Hand protection

Glove material

Appropriate Material	Nitrile ru	ubber	
Material thickness	>=	0,4	mm
Breakthrough time	>=	30	min

This recommendation is valid only for the product named in this safety data sheet supplied by us, and only for the indicated intended use purposes.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

The breakthrough time must be greater than the end use time of the product.





Version: 3 / DE

Replaces Version: 2 / DE

Revision: 31.07.2020 Print date: 16.11.20

Gloves should be replaced regularly and if there is any sign of damage to the glove material. The performance or effectiveness of the glove may be reduced by physical/ chemical damage and poor maintenance.

Eye protection

Wear eye glasses with side protection according to EN 166.

Body protection

Wear suitable protective clothing. Remove contaminated clothing and wash it before reuse. Wash hands before breaks and after work.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	liquid			operties	
Colour	colour	ed			
Odour	charad	cteristic			
Odour threshold					
Remarks	not de	termined			
pH value					
Remarks	not de	termined			
Melting point					
Remarks	not de	termined			
Freezing point					
Remarks	not de	termined			
Initial boiling point and boili	ng rang	e			
Value		186	to	214	°C
Flash point					
Value	>	60			°C
Evaporation rate					
Remarks	not de	termined			
Flammability (solid, gas)					
not determined					
Upper/lower flammability or	explosiv	ve limits			
Remarks	not de	termined			
Vapour pressure					
Remarks	not de	termined			
Vapour density					
Remarks	not de	termined			
Density					
Value	appr.	1,054			kg/l
Temperature		20	°C		
Solubility in water					
Remarks	not de	termined			
Solubility(ies)					
Remarks	not de	termined			

Version: 3 / DE Replaces Version: 2 / DE Revision: 31.07.2020 Print date: 16.11.20

Remarks	not determine	d		
Ignition temperature				
Remarks	not determine	d		
Decomposition temperature				
Remarks	not determine	d		
Viscosity				
Remarks	not determine	d		
Efflux time				
Value	35	to	75	s
Temperature	20	°C		
Method	DIN 53211 - 6	5 mm		
Explosive properties				
evaluation	not determine	d		
Oxidising properties				
Remarks	not determine	d		
2. Other information				
Non-volatile content				
Value	65,7			%
Method	calculated val	ue		

Other information

This information is not available.

10. Stability and reactivity

10.1. Reactivity

Stable under recommended storage and handling conditions (see section 7).

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

To avoid thermal decomposition, do not overheat.

10.4. Conditions to avoid

Isolate from sources of heat, sparks and open flame.

10.5. Incompatible materials

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide, nitrous oxides (NOx), dense black smoke, No decomposition if used as prescribed.

11. Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity



Version: 3 / DE

Replaces Version: 2 / DE

Revision: 31.07.2020 Print date: 16.11.20

Method Remarks	Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are not met.
Acute dermal toxicity	
Method Remarks	Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are not met.
Acute inhalational toxicity	
Method Remarks	Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are not met.
Skin corrosion/irritation	
Method Remarks	Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are not met.
Serious eye damage/irritat	ion
Method Remarks	Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are not met.
Sensitization	
Method Remarks	Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are not met.
Mutagenicity	
Method Remarks	Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are not met.
Reproductive toxicity	
Method Remarks	Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are not met.
Carcinogenicity	
Method Remarks	Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are not met.
Specific Target Organ Tox	icity (STOT)
Single exposure	
Method Remarks	Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are not met.
Repeated exposure Remarks	Based on available data, the classification criteria are not met.
Aspiration hazard	
Based on available data, the	e classification criteria are not met.
Other information	
No toxicological data are ava	ailable.
12. Ecological information	
12.1. Toxicity	
General information	
	no ecotoxicological data available on the product as such.
Fish toxicity (Components	
hydrocarbons, C12-18 LC50	> 1028 mg/l

Safety data sheet in accordance with regulation (EC) No 1907/2006 Trade name: glimtrex base colour G lightbrown 111008 Version: 3 / DE Revision: 31.07.2020 Replaces Version: 2 / DE Print date: 16.11.20 Duration of exposure 96 h hydrocarbons, C12-18 Oncorhynchus mykiss (rainbow trout) Species NOEC 10000 > mg/l 31 Duration of exposure Weeks Daphnia toxicity (Components) hydrocarbons, C12-18 Species Daphnia magna (Water flea) **EC50** 3193 mg/l Duration of exposure 48 h hydrocarbons, C12-18 Species Daphnia magna (Water flea) NOEC 1000 mg/l > 21 d Duration of exposure 12.2. Persistence and degradability **General information** For this subsection there is no ecotoxicological data available on the product as such. **Biodegradability (Components)** hydrocarbons, C12-18 % Value 82 > Duration of test 28 d 12.3. Bioaccumulative potential **General information** For this subsection there is no ecotoxicological data available on the product as such. Partition coefficient: n-octanol/water Remarks not determined 12.4. Mobility in soil **General information** For this subsection there is no ecotoxicological data available on the product as such. Mobility in soil no data available 12.5. Results of PBT and vPvB assessment **General information** For this subsection there is no ecotoxicological data available on the product as such. 12.6. Other adverse effects **General information** For this subsection there is no ecotoxicological data available on the product as such. General information / ecology For this subsection there is no ecotoxicological data available on the product as such. 13. Disposal considerations 13.1. Waste treatment methods

Safety data sheet in accordance with	regulation (EC) No 1907/2006			
		glimtrex		
Trade name: glimtrex base colour G ligh	tbrown 111008			
Version: 3 / DE		Revision: 31.07.2020		
Replaces Version: 2 / DE		Print date: 16.11.20		
Disposal recommendations for	or the product			
EWC waste code	080111 - waste paint and varnish co	ntaining organic solvents		
	or other dangerous substances			
EWC waste code	200127 - paint, inks, adhesives and r dangerous substances	200127 - paint, inks, adhesives and resins containing dangerous substances		
Do not allow to enter drains or v	ferred to disposal or incineration.			
modified product				
EWC waste code	080113 - sludges from paint or varnis solvents or other dangerous substan			
EWC waste code	080115 - aqueous sludges containing	080115 - aqueous sludges containing paint or varnish containing organic solvents or other dangerous substances		
Dried residues				
EWC waste code	080112 - waste lacquers and waste p under 080111	paint except those falling		
Disposal recommendations for	or packaging			
EWC waste code	150110 - packaging containing reside by dangerous substances	ues of or contaminated		
Completely emptied packagings	s can be given for recycling.			

Completely emptied packagings can be given for recycling. Germany: KBS system for sheet covering Completely emptied packagings can be given for recycling.

14. Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	Not classified as dangerous in the meaning of transport regulations.	Not classified as dangerous in the meaning of sea and air transport regulations.	Not a dangerous substance as defined in the above regulations.

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Water Hazard Class (Ge	rmany)				
Water Hazard Class	WGK 2				
(Germany)					
Remarks	Derivation of WC	GK acco	rding to Ar	nex 1 No. 5	5.2 AwSV
VOC					
VOC (EU)	34,3	%	362	g/l	

15.2. Chemical safety assessment For this substance / mixture a chemical safety assessment was not carried out.

16. Other information

Version: 3 / DE

Replaces Version: 2 / DE

glimtrex

Revision: 31.07.2020 Print date: 16.11.20

EUH066 H304	Repeated exposure may cause skin dryness or cracking. May be fatal if swallowed and enters airways.
CLP categories liste	ed in Chapter 3
Asp. Tox. 1	Aspiration hazard, Category 1
Abbreviations	
Agreement concerni RID - Règlement int (Regulations Concerni IMDG - International IATA - International IATA - International IATA-DGR - Danger ICAO-TI - Technical GHS - Globally Harr EINECS - European CAS - Chemical Abs GefStoffV - Gefahrs LOAEL - Lowest Obs LOEL - Lowest Observe NOEL - No Observe NOEC - No Observe OECD - Organisatio VOC - Volatile Orga Changes since the la versions. This safety datasheet information or produ The information prov and belief at the data handling, use, proce warranty or quality s The information rela used in combination	red Adverse Effect Level ed Effect Concentration d Effect Level n for Econpmic Cooperation and Development nic Compounds ast version are highlighted in the margin (***). This version replaces all previous et only contains information relating to safety and does not replace any product ct specification. vided in this Safety Data Sheet is correct to the best of our knowledge, information e of its publication. The information given is designed only as a guidance for safe essing, storage, transportation, disposal and release and is not to be considered a pecification. tes only to the specific material designated and may not be valid for such material with any other materials or in any process, unless specified in the text. tained herein is based on the present state of our knowledge and does therefore no