

Version: 45 / GB

Replaces Version: 44 / GB

Revision: 06.08.2020 Print date: 22.06.21

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

glimtrex UNIO-Oil 106001

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Surface treatment of wood and other materials

1.3. Details of the supplier of the safety data sheet

Manufacturer

glimtrex GmbH Orkotten 68 48291 Telgte Telephone no. +49 (0) 2504 88887-111 Fax no. +49 (0) 2504 88887-112 E-mail address info@glimtrex.de

1.4. Emergency telephone number

Germany: +49 (0) 30 30686700

2. Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008) Skin Sens. 1 H317 The product is classified and labelled in accordance with Regulation (EC) No 1272/2008 For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Precautionary statementsP261Avoid breathing dust/fume/gas/mist/vapours/spray.P272Contaminated work clothing should not be allowed out of the workplace.P280Wear protective gloves/protective clothing/eye protection/face protection.P302+P352IF ON SKIN: Wash with plenty of soap and water.P333+P313If skin irritation or rash occurs: Get medical advice/attention.

May cause an allergic skin reaction.

tung oil



Trade name: glimtrex UNIO-Oil 106001

Version: 45 / GB

Replaces Version: 44 / GB

Revision: 06.08.2020 Print date: 22.06.21

P362+P364 Take off contaminated clothing and wash it before reuse.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains

Supplemental information

Further supplemental information

Cleaning cloth soaked with the product can self ignite during packing up, therefore dry the cloth on a line or through spreading and dispose of after dry up.

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB) (if not listed in Section 3).

%

3. Composition/information on ingredients

Hazardous ingredients

tung oil

8001-20-5			
232-272-3			
>=	50		
ation (EC) No. [·]	1272/2008)		
Skin Sens. 1		H317	
	232-272-3 >= ation (EC) No. 7	232-272-3 >= 50 ation (EC) No. 1272/2008)	232-272-3 >= 50 ation (EC) No. 1272/2008)

2-ethylhexanoic acid zirconium salt

CAS No.	22464-99-9				
EINECS no.	245-018-1				
Registration no.	01-21199790)88-21			
Concentration	>=	1	<	3	%
Classification (Regula	tion (EC) No. 1	1272/2008)			
	Repr. 2		H361d		

Note

For explanation of abbreviations see section 16. This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57) (if not listed in Section 3).

4. First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical attention. Get medical advice/attention if you feel unwell. First aider: Pay attention to self-protection! Remove affected person from danger area, lay him down.

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. Keep warm, calm and covered up. In all cases of doubt, or when symptoms persist, seek medical attention.

After skin contact

Wash off immediately with soap and water. Do NOT use solvents or thinners. Consult a doctor if skin irritation persists.



Version: 45 / GB

Replaces Version: 44 / GB

Revision: 06.08.2020 Print date: 22.06.21

After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice. Take medical treatment.

After ingestion

Do not induce vomiting. Take medical treatment.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. High concentration of vapours may cause irritation to eyes and respiratory system and produce narcotic effects.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / treatment

Treat symptomatically.

5. Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Recommended: alcohol resistant foam, CO2, powders, water spray/mist

Non suitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Fire will produce dense black smoke. In a fire, hazardous decomposition products may be produced. Exposure to decomposition products may cause a health hazard. Vapours can form an explosive mixture with air.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

In case of combustion evolution of dangerous gases possible. Use self-contained breathing apparatus.

Other information

Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water. Standard procedure for chemical fires.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Do not inhale aerosols.

6.2. Environmental precautions

Do not allow to enter drains or waterways. Do not allow to enter soil, waterways or waste water canal. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Do NOT use solvents or thinners. Send in suitable containers for recovery or disposal.

6.4. Reference to other sections



Version: 45 / GB

Replaces Version: 44 / GB

Revision: 06.08.2020 Print date: 22.06.21

Refer to protective measures listed in Sections 7 and 8.

7. Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. Keep container tightly closed and dry in a cool, well-ventilated place. Use only with adequate ventilation/personal protection. Ensure adequate ventilation. Provide for sufficient ventilation. This can be achieved by local exhaust or general exhaust air collection. Wear a suitable respirator if the ventilation is not sufficient to keep the solvent vapour concentration below the occupational limit values. Avoid contact with skin and eyes. Avoid inhalation of vapour and spray mist. Do no eat, drink or smoke when using this product. Use personal protective clothing. For personal protection see Section 8.

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Vapours are heavier than air and may spread along floors. In addition, the product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Mixture may charge electrostatically: always use earthing leads when transferring from one container to another. Take measures to prevent the build up of electrostatic charge. Wear shoes with conductive soles. No sparking tools should be used. Fight fire with normal precautions from a reasonable distance. Do not process in the same cabin together with highly flammable material (e.g. CN lacquer) => fire hazard through self ignition! Cleaning cloth soaked with the product can self ignite during packing up, therefore dry the cloth on a line or through spreading and dispose of after dry up.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Provide solvent-resistant and impermeable floor. Keep only in the original container in a cool, well ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Hints on storage assembly

Store away from oxidising agents, from strongly alkaline and strongly acid materials.

10

Storage classes

Storage class according to TRGS 510

Flammable liquids

Further information on storage conditions

Protect from frost. Protect from heat and direct sunlight. Keep away from sources of ignition - No smoking. Store in accordance with the particular national regulations.

7.3. Specific end use(s)

See exposure scenario, if available.

8. Exposure controls/personal protection

8.1. Control parameters

Other information

Type of value

Derived No/Minimal Effect Levels (DNEL/DMEL)

2-ethylhexanoic acid zirconium salt

Derived No Effect Level (DNEL)



Trade name: glimtrex UNIO-Oil 106001

Version: 45 / GB Replaces Version: 44 / GB Revision: 06.08.2020 Print date: 22.06.21

Reference group	Workers (industrial)		
Duration of exposure	Long-term		
Route of exposure	inhalative		
Mode of action	Systemic effects		
Concentration	32,97	mg/m³	
Type of value	Derived No Effect Level (DNEL)		
Reference group	Workers (industrial)		
Duration of exposure	Long-term		
Route of exposure	Dermal exposure		
Mode of action	Systemic effects		
Concentration	6,49	mg/kg/d	
Type of value	Derived No Effect Level (DNEL)		
Reference group	Consumer		
Duration of exposure	Long-term		
Route of exposure	Oral exposure		
Mode of action	Systemic effects		
Concentration	4,51	mg/kg/d	
Type of value	Derived No Effect Level (DNEL)		
Reference group	Consumer		
Duration of exposure	Long-term		
Route of exposure	inhalative		
Mode of action	Systemic effects		
Concentration	8,13	mg/m³	
Concentration	0,13	iiig/iii	
Type of value	Derived No Effect Level (DNEL)		
Reference group	Consumer		
Duration of exposure	Long-term		
Route of exposure	Dermal exposure		
Mode of action	Systemic effects		
Concentration	3,25	mg/kg/d	
redicted No Effect Conc	entration (PNEC)		
2-ethylhexanoic acid zircor			
Type of value	PNEC		
Туре	Freshwater		
Type Concentration	Freshwater 0,36	mg/l	
Concentration		mg/l	
Concentration Type of value	0,36 PNEC	mg/l	
Concentration	0,36	mg/l mg/l	
Concentration Type of value Type Concentration	0,36 PNEC Saltwater 0,036	-	
Concentration Type of value Type Concentration Type of value	0,36 PNEC Saltwater 0,036 PNEC	-	
Concentration Type of value Type Concentration Type of value Type	0,36 PNEC Saltwater 0,036 PNEC Fresh water sediment	mg/l	
Concentration Type of value Type Concentration Type of value	0,36 PNEC Saltwater 0,036 PNEC	-	
Concentration Type of value Type Concentration Type of value Type Concentration Type of value	0,36 PNEC Saltwater 0,036 PNEC Fresh water sediment 6,37 PNEC	mg/l	
Concentration Type of value Type Concentration Type of value Type Concentration	0,36 PNEC Saltwater 0,036 PNEC Fresh water sediment 6,37	mg/l	

glimtrex

Trade name: glimtrex UNIO-Oil 106001

Version: 45 / GB

Replaces Version: 44 / GB

Revision: 06.08.2020 Print date: 22.06.21

Type of value Type Concentration	PNEC Soil 1,06	mg/kg
Type of value Type Concentration	PNEC Sewage treatment plant (STP) 71,7	mg/kg

8.2. Exposure controls

Exposure controls

Users are advised to consider national Occupational Exposure Limits or other equivalent values. Provide for sufficient ventilation. This can be achieved by local exhaust or general exhaust air collection. Wear a suitable respirator if the ventilation is not sufficient to keep the solvent vapour concentration below the occupational limit values.

Respiratory protection

Avoid inhalation of vapour and spray mist. Use breathing apparatus if exposed to vapours/dust/aerosol. Recommended Filter type: Respiratory protection mask with combination filter A/P2

Hand protection

Protective gloves complying with EN 374.

Glove material

Appropriate Material	Nitrile	rubber	
Material thickness	>=	0,4	mm
Breakthrough time	>=	480	min
This was a survive and attack to a	هيبا مناحية المثالمي		-l 4

This recommendation is valid only for the product named in this safety data sheet supplied by us, and only for the indicated intended use purposes.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

The breakthrough time must be greater than the end use time of the product.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

The performance or effectiveness of the glove may be reduced by physical/ chemical damage and poor maintenance.

Eye protection

Wear eye glasses with side protection according to EN 166.

Body protection

Wear suitable protective clothing. Remove contaminated clothing and wash it before reuse. Wash hands before breaks and after work.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	liquid
Colour	yellow
Odour	characteristic
Odour threshold	
Remarks	not determined
Melting point	



Revision: 06.08.2020

Print date: 22.06.21

Trade name: glimtrex UNIO-Oil 106001 Version: 45 / GB

Replaces Version: 44 / GB

Demerica	n at dat	o wao iyo o d			
Remarks	not det	ermined			
Freezing point					
Remarks		ermined			
Initial boiling point and boilin					
Remarks	not det	ermined			
Flash point					
Value	>	60			°C
Evaporation rate					
Remarks	not det	ermined			
Flammability (solid, gas) not determined					
Upper/lower flammability or e	xplosiv	e limits			
Remarks	not det	ermined			
Vapour pressure					
Remarks	not det	ermined			
Vapour density					
Remarks	not det	ermined			
Density					
Value	appr.	0,966			kg/l
Temperature		20	°C		
Solubility in water					
Remarks	not det	ermined			
Solubility(ies)					
Remarks		ermined			
Partition coefficient: n-octanc					
Remarks	not det	ermined			
Ignition temperature					
Remarks	not det	ermined			
Decomposition temperature					
Remarks	not det	ermined			
Viscosity					
Remarks	not det	ermined			
Efflux time					
Value		45	to	65	S
Temperature Method	DIN 53	20 211 4 mm	°C		
Explosive properties					
evaluation	not det	ermined			
Oxidising properties					
Remarks	not det	ermined			
Other information					
Non-volatile content					



Version: 45 / GB

Replaces Version: 44 / GB

Value Method 98,7 calculated value

Other information

This information is not available.

10. Stability and reactivity

10.1. Reactivity

Stable under recommended storage and handling conditions (see section 7).

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

To avoid thermal decomposition, do not overheat.

10.4. Conditions to avoid

Isolate from sources of heat, sparks and open flame.

10.5. Incompatible materials

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide, nitrous oxides (NOx), dense black smoke, No decomposition if used as prescribed.

11. Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity	
Method	Calculation method (Regulation (EC) No. 1272/2008)
Remarks	Based on available data, the classification criteria are not met.
Acute dermal toxicity	
Method	Calculation method (Regulation (EC) No. 1272/2008)
Remarks	Based on available data, the classification criteria are not met.
Acute inhalational toxicity	
Method	Calculation method (Regulation (EC) No. 1272/2008)
Remarks	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	
Method	Calculation method (Regulation (EC) No. 1272/2008)
Remarks	Based on available data, the classification criteria are not met.
Serious eye damage/irritati	ion
Method	Calculation method (Regulation (EC) No. 1272/2008)
Remarks	Based on available data, the classification criteria are not met.
Sensitization	
evaluation	May cause sensitization by skin contact.
Method	Calculation method (Regulation (EC) No. 1272/2008)
Remarks	The classification criteria are met.
Sensitization (Components	3)

Revision: 06.08.2020 Print date: 22.06.21

%



Revision: 06.08.2020

Trade name: glimtrex UNIO-Oil 106001

Version: 45 / GB

tung oil evaluation

Replaces Version: 44 / GB

Mutagenicity Method

Remarks

Method

Remarks

Reproductive toxicity

	Print date: 22.06.21
May cause sensitization by skin contact.	
Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are no	t met.
Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are no	t met.
ponents)	
m salt	

Reproduction toxicity (Components)

2-ethylhexanoic acid zirconium salt evaluation Toxic to Reproduction Category 2

Carcinogenicity

arcinogenicity	
Method	Calculation method (Regulation (EC) No. 1272/2008)
Remarks	Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Single exposure Method Remarks	Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are not met.
Repeated exposure	based on available data, the classification chiena are not met.
Remarks	Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Other information

No toxicological data are available.

12. Ecological information

12.1. Toxicity

General information

For this subsection there is no ecotoxicological data available on the product as such.

12.2. Persistence and degradability

General information

For this subsection there is no ecotoxicological data available on the product as such.

12.3. Bioaccumulative potential

General information

For this subsection there is no ecotoxicological data available on the product as such.

Partition coefficient: n-octanol/water

Remarks

not determined

12.4. Mobility in soil

General information

For this subsection there is no ecotoxicological data available on the product as such.

Mobility in soil

no data available



Version: 45 / GB

Replaces Version: 44 / GB

Revision: 06.08.2020 Print date: 22.06.21

General information For this subsection there is no ecc	otoxicological data available on the product as such.
12.6. Other adverse effects	
General information / ecology	
For this subsection there is no ecc	otoxicological data available on the product as such.
13. Disposal considerations	
13.1. Waste treatment methods	
Disposal recommendations for	the product
EWC waste code	080111 - waste paint and varnish containing organic solvents or other dangerous substances
EWC waste code	200127 - paint, inks, adhesives and resins containing dangerous substances
Where possible recycling is prefer Do not allow to enter drains or wat	
modified product	
EWC waste code	080113 - sludges from paint or varnish containing organic solvents or other dangerous substances
EWC waste code	080115 - aqueous sludges containing paint or varnish containing organic solvents or other dangerous substances
Dried residues	
EWC waste code	080112 - waste lacquers and waste paint except those falling under 080111
Disposal recommendations for	packaging
EWC waste code	150110 - packaging containing residues of or contaminated by dangerous substances

14. Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	Not classified as dangerous in the meaning of transport regulations.	Not classified as dangerous in the meaning of sea and air transport regulations.	Not a dangerous substance as defined in the above regulations.

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance
or mixture

VOC (EU)

1,2	%	12	g/l

15.2.	Chemical	safety	assessment
-------	----------	--------	------------



Version: 45 / GB

Replaces Version: 44 / GB

Revision: 06.08.2020 Print date: 22.06.21

For this substance / mixture a chemical safety assessment was not carried out.

16. Other information

Hazard statements listed in Chapter 3

H317	May cause an allergic skin reaction.
H361d	Suspected of damaging the unborn child.

CLP categories listed in Chapter 3

Repr. 2	Reproductive toxicity, Category 2
Skin Sens. 1	Skin sensitization, Category 1

Abbreviations

ADR - Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID - Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning theInternational Transport of Dangerous Goods by Rail)

IMDG - International Maritime Code for Dangerous Goods

IATA - International Air Transport Association

IATA-DGR - Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO-TI - Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS - Globally Harmonized System of Classification and Labelling of Chemicals

EINECS - European Inventory of Existing Commercial Chemical Substances

CAS - Chemical Abstracts Service (division of the American Chemical Society)

GefStoffV - Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL - Lowest Observed Adverse Effect Level

LOEL - Lowest Observed Effect Level

NOAEL - No Observed Adverse Effect Level

NOEC - No Observed Effect Concentration

NOEL - No Observed Effect Level

OECD - Organisation for Econpmic Cooperation and Development

VOC - Volatile Organic Compounds

Changes since the last version are highlighted in the margin (***). This version replaces all previous versions.

This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification.

The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

The information contained herein is based on the present state of our knowledge and does therefore not guarantee certain properties.